Statutory notifications of infectious diseases and childhood vaccine update

Public health update for Enfield Health & Wellbeing Board

11th June 2024


Gayan Perera







Latest weekly data for notifications of infection diseases across North Central London




LA	≶ ≡	\mathbb{Z}
Barnet		
Camden		
Enfield		
Haringey		
Islington		
Week ending		7
Week ending 14/04/2024	% =	X
	\$ =	\times_\t
14/04/2024	\$ =	7
14/04/2024 21/04/2024	* =	72
14/04/2024 21/04/2024 28/04/2024	\$ =	\times_\t
14/04/2024 21/04/2024 28/04/2024 05/05/2024	\$E	\(\sigma\)

Source Noids weekly report Gov.uk




Notifications of infection diseases over time in Enfield








Number of suspected Measle cases are on the rise in NCL boroughs








Childhood vaccine uptake in Enfield compared with NCL average




In May 2024, the MMR dose 2 uptake was 71.6% in Enfield – slightly lower than North Central London (73.1%)

MMR 2 doses vaccination uptake by deprivation quintile across Enfield




This chart can be filtered by selections to the other visualisations on this page and the header filters. This chart also acts as a filter to other visualisations on this page.

Note: Patients resident outside the NCL borders may not have deprivation information available.




MMR 2 doses uptake rate by ethnicity



				Mixed					Mixed			Mixed						Other				Gypsy/
			White	(White &	Asian			Asian	(White &	Black	Mixed	(White &	White		White	Black	Mixed	ethnic	Black	White	Black	Irish
	Bangladeshi	Pakistani	British	Asian)	other	Indian	Chinese	unknown	African)	other	other	Caribbean)	other	Arab	unknown	African	unknown	groups	Caribbean	Irish	unkown	traveller
Number																						
of eligible																						
children	85	32	921	48	119	95	17	29	61	93	149	84	863	13	184	417	38	207	63	18	70	21

MMR 2 doses uptake rate by language spoken in Enfield



The chart above shows data split by most commonly spoken languages, ranked by number of children not vaccinated. Around half of children registered do not have language recorded. This chart can be filtered by selections to the other visualisations on this page and the header filters.

This chart also acts as a filter to other visualisations on this page.

Main Language Filter	Bulgarian	Romanian	Albanian	Turkish	English	Unknown
Eligible Persons	53	57	57	218	1,230	2,416



Whooping cough (Pertussis) vaccine uptake in Enfield

- The **combined DTaP IPV Hib HepB** is the first in a course of vaccines offered to babies to protect them against diphtheria, pertussis (whooping cough), tetanus, Haemophilus influenzae type b (an important cause of childhood meningitis and pneumonia), polio (IPV is inactivated polio vaccine) and Hepatitis B.
- The **6-in-1 vaccine** (which contain pertussis vaccine) uptake among 1-year olds in **Enfield is 83.2% lower than NCL (86.2%).**
- The **4-in-1 vaccine** (which contain pertussis vaccine) uptake among 1-year olds in **Enfield is 74.2% lower than NCL (76.6%).**



Suspected reported whooping cough cases in NCL boroughs

