
HWB: COVID-19, Polio and flu vaccine uptake in Enfield

28 Feb 2023







Autumn booster




Autumn booster, % uptake by LSOA






Flu vaccination uptake









Flu uptake by Borough



Flu uptake by Ethnicity



Flu uptake by cohort



Childhood Immunisations







Immunisations up to 1 year old

Included in uptake if completed all age appropriate doses for each vaccine type

Immunisation	Due	Enfield Uptake	NCL Uptake	Difference (Enfield – NCL)
6 in 1	8 weeks, 12 weeks, 16 weeks	86.05%	87.73%	-0.60%
6 in 1 (catch up)	1 st year (unvaccinated)	26.28%	27.67%	-1.30%
Rotavirus	8 weeks, 12 weeks	82.01%	84.09%	-2.10%
Men B	8 weeks, 16 weeks	84.98%	86.47%	-2.00%
PCV	12 weeks	88.96%	89.68%	-1.60%

Immunisations due 1-2 years

Included in uptake if completed all age appropriate doses for each vaccine type

Immunisation	Due	Enfield Uptake	NCL Uptake	Difference (Enfield – NCL)
Men B (Booster)	1 Year	76.44%	77.31% ⁻¹	52%
PCV	1 Year	80.69%	81.27%	-0.36%
HiB/Men C	1 Year	81.50%	81.86%	-0.58%
MMR	1 Year	80.79%	82.32%	-0.88%

Preschool immunisations

Included in uptake if completed all age appropriate doses for each vaccine type

Immunisation	Due	Enfield Uptake	NCL Uptake	Difference (Enfield – NCL)
MMR	3 Years 4 months	69.37%	72.72%	-2.62%
4 in 1 (Dipheria, Tetanus, Pertusses and Polio)	3 Years 4 months	71.85%	75.50% _{-3.669}	%
4 in 1 (Dipheria, Tetanus, Pertusses and Polio) - Catchup campaign	3 Years 4 months - 5 years	34.93%	37.55% -3.3	35%

Uptake all vaccines up to one year

